



Sanding & Polishing Solutions



Distributor of



Oskar Gerson

1904 Manning Ave Unit 500
Los Angeles, CA, 90025
(310) 954-6436
oskar@gprosolutions.us





ISO
ISO Quality Certificates





Founded in 1988, Kemal Bařaran is operating in industrial products market as a converter of coated abrasives, polishing compounds, electrical and pneumatic hand tools, industrial dust extractors, personal safety products and complementary accessories.

Our main markets are automotive oem and aftermarket, wood, marine, composites, metal, construction and decoration.

We would like to share our knowledge and experience with our customers in order to make them achieve an efficient production with the highest quality.

Our target is to supply our customers with perfect quality products and services in the fastest delivery times and with reasonable prices.

Kerem BAřARAN
Marketing Director

Index



Abrasives

Gold Premium	8
Gold Premium Foam	18
SoftCut 242S	20
SoftCut Foam	26
FastCut 341L	28
CoarseCut 540D	34
FineCut 252D	40
Safir CR	44
Platon 732F	48
Grinflex 742F	52
Polaris 414J e-loop	60
SandFlex 242S	66
SandFlex 342S	72
Superpad NV	76
Softpad	84
Mars	92
SponFlex 4 Sided	94
SponFlex 2 Sided	96
Ipex	98
FiniTex	102
Kadifex	106
kb NET	110
WoD AL20	116
WoD SL20	120
NovaFlex	124
StarCut Paper	134
StarCut Film	136
Sirius 614X	138
Polaris 414J	142
Rigel 540E	146
Vega 734Y	150
Flatpan	154
kb Flap Disk ZR Vega	156
kb Flap Disk AO Orion	158
kb Minidisk Vega	160
kb Minidisk ScFlex	164
Abrasive Brush	166

Dust Extraction Systems

TE20-EP Multivac Dust Extractor	170
T40-PN AirVac Dust Extractor	172

Sanding Machines & Accessories

AROS5316CV	176
AROS6316CV	178
OS913CV	180
ROS6316CV	182
ROS5316CV	184
OS3316	186
ROS2-6308CV	188
ROS2-8316CV	190
ROS1332	192
OS1332	194
OS4718CV	196
OS3818CV	198
OS3418CV	200
OS3518CV	202
MB520	204
Foam Interfaces	206
Pad Protectors	212
Sanding Pads	218

Polishing Products & Accessories

HCC800 Gel-coat Compound	226
HCC600 Heavy Compound	227
SR800 Scratch Remover	228
OSP1000 One Step Polishing Compound	230
HG4000 Antihologram FineCut Polish	231
TG2500 Ultra Precision Antihologram	232
UF5000 Perfect Finish	233
Polishing Accessories	234

Abrasives





Gold Premium

kemalbasaran.com.tr

Best Price/Performance Ratio



DISC



SHEET



ROLL



FILE



DELTA

Gold Premium makes sanding easier for you. It is a high performance product which you can use for many different applications. Thanks to its durable and flexible paper backing, Gold Premium offers a long lifetime and economical sanding.

Ideal For Many Different Sanding Applications

Tear Resistant, Flexible Paper Backing

Aggressive Sanding

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE




CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	C Paper
Bonding	Resin / Resin
Coating	Semi Open
Colour	Yellow
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400,P600,P800

Discs

Gold Premium



Gold Premium

225mm

18+1H



Product Code	434.PRM.1	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	50	500
P100-P800	100	1000

Gold Premium

200mm

No Hole




Product Code	435.PRM.	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500
P150-P800	100	1000

Gold Premium

200mm

8+1H




Product Code	436.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500
P150-P800	100	1000

Gold Premium

200mm

16+1H



Product Code	437.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500
P150-P800	100	1000

Gold Premium

180mm

No Hole



Product Code 439.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Tnsp. Pack.

P40-P800 50 500

Gold Premium

150mm

No Hole



Product Code 453.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Tnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

150mm

6H



Product Code 451.PRM.1

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Tnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

150mm

6+1H



Product Code 441.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Tnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

150mm

8+1H



Product Code 450.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Tnsp. Pack.


P40,P60 50 500

P80-P800 100 1000

Gold Premium

150mm

14+1H



Product Code 452.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Tnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

150mm

Multihole



Product Code 449.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

150mm

16+1H



Product Code 451.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

125mm

No Hole



Product Code 455.PRM.

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

125mm

5H



Product Code 456.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

125mm

5+1H



Product Code 457.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

125mm

8H



Product Code 454.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 50 500

P80-P800 100 1000

Gold Premium

90mm

No Hole



Product Code	459.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P280	250	2500
P320-P800	500	5000

Gold Premium

77mm

No Hole



Product Code	460.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P220	200	2000
P240-P800	250	2500

Gold Premium

32mm

No Hole




Product Code	495.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P800	500	5000



File & Special Abrasives

Gold Premium



Gold Premium

93x178mm

No Hole



Product Code 413.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P80 50 500

P100-P800 100 1000

Gold Premium

93x178mm

8H



Product Code 414.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P80 50 500

P100-P800 100 1000

Gold Premium

70x198mm

No Hole



Product Code 412.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P800 50 500

Gold Premium

70x198mm

22H



Product Code 443.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P800 50 500

Gold Premium

70x400mm

No Hole



Product Code	410.PRM.1	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500
P150-P800	100	1000

Gold Premium

70x400mm

14H



Product Code	410.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500
P150-P800	100	1000

Gold Premium

81x133mm

No Hole



Product Code	419.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40,P60	50	500
P80-P800	100	500

Gold Premium

81x133mm

16H



Product Code	419.PRM.1	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40,P60	50	1000
P80-P800	100	500

Gold Premium

94x135mm

No Hole



Product Code	418.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40,P60	50	500
P80-P800	100	1000

Gold Premium

94x135mm

7H



Product Code	428.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40,P60	50	500
P80-P800	100	1000

Gold Premium

75x100mm

No Hole



Product Code 417.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P150 100 1000

P180-P800 200 2000

Gold Premium

75x100mm

4H



Product Code 417.PRM.1

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P150 100 1000

P180-P800 200 2000

Gold Premium

70x125mm

No Hole



Product Code 415.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40,P60 100 1000

P80-P800 200 2000

Gold Premium

115x230mm

No Hole



Product Code 421.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.

P40-P80 50 500

P100-P800 100 1000

Gold Premium

115x230mm

10H



Product Code 420.PRM

Available Grits P40,P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400,P500,P600,P800

Qty./Box Qty./Trnsp. Pack.


P40-P80 50 500

P100-P800 100 1000



Rolls & Sheets

Gold Premium



Gold Premium

230x280mm

Sheet



Product Code	474.PRM	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P40-P800	50	500

Gold Premium

115mm x 25m

Roll



Product Code	422.PRM.1	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P120-P800	1	12





Gold Premium Foam

kemalbasaran.com.tr

Gold Premium makes sanding easier for you. It is a high performance product which you can use for many different applications. Thanks to its durable and flexible paper backing, Gold Premium offers a long lifetime and economical sanding.

Ideal For Many Different Sanding Applications

Tear Resistant, Flexible Paper Backing

Aggressive Sanding

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	C Paper with foam	
Bonding	Resin / Resin	
Coating	Semi Open	
Colour	Yellow	
Product Code	433.PRM	
Available Grits	P80,P100,P120,P150,P180,P220,P240 P280,P320,P400,P500,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P80-P800	1	5





SoftCut 242S

kemalbasaran.com.tr

Flexibility & Long Lifetime



DISC



SHEET



ROLL



FILE



DELTA

SoftCut 242S is a high-performance product with soft and flexible paper backing. It creates an even surface with minimum scratch. Special paper backing prevents sanding-through when working on edges and curved areas.

Flexible Paper Backing

Less Sanding Scratches

Rectangular Design Prevents Sanding Through



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE




CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	C Paper
Bonding	Resin / Resin
Coating	Semi Open
Colour	Brown
Available Grits	P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400

Discs

SoftCut 242S



SoftCut 242S

225mm

18+1H



Product Code	434.242S.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60,P80	50	500
P100-P400	100	1000

SoftCut 242S

200mm

No Hole



Product Code	435.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P120	50	500
P150-P400	100	1000

SoftCut 242S

200mm

8+1H



Product Code	436.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P120	50	500
P150-P400	100	1000

SoftCut 242S

200mm

16+1H



Product Code	437.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P120	50	500
P150-P400	100	1000

SoftCut 242S

150mm

No Hole



Product Code	439.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

150mm

6+1H



Product Code	441.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

150mm

8+1H



Product Code	450.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

150mm

14+1H



Product Code	452.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

150mm

16+1H



Product Code	451.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

125mm


5+1H



Product Code	457.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

File & Special Abrasives

SoftCut 242S



SoftCut 242S

81x133mm

No Hole



Product Code	419.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

94x135mm

No Hole



Product Code	418.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

94x135mm

7H



Product Code	428.242S	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

SoftCut 242S

75x100mm

4H



Product Code	417.242S.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P150	100	1000
P150-P400	200	2000

Rolls & Sheets

SoftCut 242S



SoftCut 242S

230x280mm

Sheet



Product Code	417.242S.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P400	50	500

SoftCut 242S


115mm x 25m

Roll



Product Code	422.242S.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	1	12





SoftCut Foam

kemalbasaran.com.tr

SoftCut 242S is a high-performance product with soft and flexible paper backing. It creates an even surface with minimum scratch. Special paper backing prevents sanding-through when working on edges and curved areas.

Flexible Paper Backing

Less Sanding Scratches

Rectangular Design Prevents Sanding Through



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	C Paper with foam	
Bonding	Resin / Resin	
Coating	Semi Open	
Colour	Brown	
Product Code	433.242S	
Available Grits	P80,P100,P120,P150,P180,P220,P240 P280,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	1	5





FastCut 341L

kemalbasaran.com.tr

Fast Stock Removal



DISC



SHEET



ROLL



FILE



DELTA

FastCut 341L is especially good for demanding sanding job when you need speed and aggressiveness. It has a strong paper backing with hardened Aluminium oxide grains.

Strong Paper Backing

Hardened Aluminium Oxide Grains



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	C Paper
Bonding	Resin / Resin
Coating	Semi Open
Colour	Gray
Available Grits	P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400

Discs

FastCut 341L



FastCut 341L

150mm

6+1H



Product Code	441.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

FastCut 341L

150mm

14+1H



Product Code	452.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

FastCut 341L

125mm

5+1H



Product Code	457.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000



File & Special Abrasives

FastCut 341L



FastCut 341L

81x133mm

No Hole



Product Code	419.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

FastCut 341L

94x135mm

No Hole



Product Code	418.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

FastCut 341L

94x135mm

7H




Product Code	428.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

FastCut 341L

115x230mm

No Hole



Product Code	421.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P80	50	500
P100-P400	100	1000

FastCut 341L

115x230mm

10H



Product Code	420.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P80	50	500
P100-P400	100	1000



Rolls & Sheets

FastCut 341L



FastCut 341L

230x280mm

Sheet



Product Code	474.341L	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P400	50	500

FastCut 341L

115mm x 25m

Roll



Product Code	422.341L.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P400	1	12





CoarseCut 540D

kemalbasaran.com.tr

Heavy Duty Sanding



DISC



ROLL

CoarseCut 540D is developed for coarse sanding. Its strong paper backing and superior grains make it ideal for power sanding. The product has a long lifetime and it is resistant to tear.

Ideal for coarse sanding

Strong paper backing



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE




CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	E Paper
Bonding	Resin / Resin
Coating	Close
Colour	Red
Available Grits	P40,P60,P80,P100,P120

Discs

CoarseCut 540D



CoarseCut 540D

225mm

18+1H



Product Code 434.540D.1

Available Grits P40,P60,P80,P100,P120

	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500

CoarseCut 540D

200mm

No Hole



Product Code 435.540D

Available Grits P40,P60,P80,P100,P120

	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500

CoarseCut 540D

200mm

8+1H



Product Code 436.540D


Available Grits P40,P60,P80,P100,P120

	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500

CoarseCut 540D

200mm

16+1H



Product Code 437.540D

Available Grits P40,P60,P80,P100,P120

	Qty./Box	Qty./Trnsp. Pack.
P40-P120	50	500

CoarseCut 540D

180mm

No Hole



Product Code 439.540D

Available Grits P40,P60,P80,P100,P120

Qty./Box Qty./Trnsp. Pack.

P40-P120

50

500

CoarseCut 540D

150mm

No Hole



Product Code 453.540D

Available Grits P40,P60,P80,P100,P120

Qty./Box Qty./Trnsp. Pack.

P40-P80

50

500

P100,P120

100

1000

CoarseCut 540D

150mm

6+1H



Product Code 441.540D

Available Grits P40,P60,P80,P100,P120

Qty./Box Qty./Trnsp. Pack.

P40-P80

50

500

P100,P120

100

1000

CoarseCut 540D

150mm

14+1H



Product Code 452.540D

Available Grits P40,P60,P80,P100,P120

Qty./Box Qty./Trnsp. Pack.

P40-P80

50

500

P100,P120

100

1000

CoarseCut 540D

125mm

No Hole



Product Code 455.540D

Available Grits P40,P60,P80,P100,P120

Qty./Box Qty./Trnsp. Pack.

P40-P80

50

500

P100,P120

100

1000

CoarseCut 540D

125mm

5+1H



Product Code 457.540D

Available Grits P40,P60,P80,P100,P120

Qty./Box Qty./Trnsp. Pack.

P40-P80

50

500

P100,P120

100

1000

CoarseCut 540D

125mm

8H



Product Code	454.540D	
Available Grits	P40,P60,P80,P100,P120	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	50	500
P100,P120	100	1000

CoarseCut 540D

115mm

No Hole



Product Code	458.540D	
Available Grits	P40,P60,P80,P100,P120	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	50	500
P100,P120	100	1000



Rolls

CoarseCut 540D

CoarseCut 540D


115mm x 25m

Roll



Product Code	422.540D.1	
Available Grits	P40,P60,P80,P100,P120	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	50	500
P100,P120	100	1000





FineCut 252D

kemalbasaran.com.tr

Less Sanding Scratches



DISC



SHEET



ROLL

FineCut 252D is especially good for fine sanding and finishing. Thanks to its Silicon carbide grains it creates virtually no scratches on the surface.

Minimum Scratch Depth

Superior Sanded Surface Quality



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Silicon Carbide
Backing	C Paper
Bonding	Resin / Resin
Coating	Semi Open
Colour	Gray
Available Grits	P180,P220,P240,P320,P400,P600 P800

Discs

FineCut 252D



FineCut 252D

150mm

No Hole



Product Code	453.252D	
Available Grits	P180,P220,P240,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P180-P800	100	1000


FineCut 252D

150mm

6+1H



Product Code	441.252D	
Available Grits	P180,P220,P240,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P180-P800	100	1000



Rolls & Sheets

FineCut 252D



FineCut 252D

230x280mm

Sheet



Product Code	474.252D	
Available Grits	P180,P220,P240,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P180-P800	50	500

FineCut 252D

115mm x 25m

Roll



Product Code	422.252D.1	
Available Grits	P180,P220,P240,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P180-P800	1	12





Safir CR

kemalbasaran.com.tr

Superior Performance



DISC



DELTA

Safir CR is a durable product with fast stock removal and low scratch properties thanks to its Ceramic grains and high-quality paper backing. It is ideal for all demanding jobs. It provides speed sanding and a high-quality sanded surface.

Strong Anti-Tear Backing

Fast Stock Removal

Less Sanding Scratches

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Ceramic
Backing	C Paper
Bonding	Resin / Resin
Coating	Semi Open
Colour	Purple
Available Grits	P60,P80,P100,P120,P180,P220,P240 P320,P400

Discs

Safir CR



Safir CR

150mm

6+1H




Product Code	441.SCR	
Available Grits	P60,P80,P100,P120,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Safir CR

150mm

14+1H




Product Code	452.SCR	
Available Grits	P60,P80,P100,P120,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Safir CR

125mm

5+1H




Product Code	457.SCR	
Available Grits	P60,P80,P100,P120,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Safir CR

125mm

8H



Product Code	454.SCR	
Available Grits	P60,P80,P100,P120,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Special Abrasives

Safir CR



Safir CR

94x135mm

No Hole



Product Code	418.SCR	
Available Grits	P60,P80,P100,P120,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Safir CR


94x135mm

7H



Product Code	428.SCR	
Available Grits	P60,P80,P100,P120,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000





Platon 732F

kemalbasaran.com.tr

Durability, Fast Sanding, Very Low Scratch Pattern



DISK



DELTA



SHEET

Platon 732F is a durable product with fast stock removal and very low scratch properties thanks to its Ceramic grains and film backing. It is ideal for all demanding jobs. It provides speed sanding and a high-quality sanded surface.

Durable film backing

Fast stock removal

Very low scratch pattern

Long lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Ceramic
Backing	Film
Bonding	Resin / Resin
Coating	Semi Open
Colour	Magenta
Available Grits	P80,P100,P120,P180,P220,P240, P320 P400,P600,P800,P1000,P1200,P1500

Discs

Platon 732F



Platon 732F

150mm

Multihole



Product Code 449.732F

Available Grits P80,P100,P120,P180,P220,P240,P320,P400,P500,P600
P800,P1000,P1200,P1500

Qty./Box Qty./Trnsp. Pack.

P80-P1500 100 1000

Platon 732F

125mm

5+1D



Product Code 457.732F

Available Grits P80,P100,P120,P180,P220,P240,P320,P400,P500,P600
P800,P1000,P1200,P1500

Qty./Box Qty./Trnsp. Pack.

P80-P1500 100 1000



Special Abrasives

Platon 732F



Platon 732F

81x133mm

Multihole



Product Code 419.732F

Available Grits P80,P100,P120,P180,P220,P240,P320,P400,P500,P600
P800,P1000,P1200,P1500

	Qty./Box	Qty./Trnsp. Pack.
P80-P1500	100	1000

Platon 732F

94x135mm

7D



Product Code 428.732F

Available Grits P80,P100,P120,P180,P220,P240,P320,P400,P500,P600
P800,P1000,P1200,P1500

	Qty./Box	Qty./Trnsp. Pack.
P80-P1500	100	1000

Platon 732F

93x178mm


8D



Product Code 414.732F

Available Grits P80,P100,P120,P180,P220,P240,P320,P400,P500,P600
P800,P1000,P1200,P1500

	Qty./Box	Qty./Trnsp. Pack.
P80-P1500	100	1000





Grinflex 742F

kemalbasaran.com.tr

Tear-resistant Film Backing

kemalbasaran.com.tr



DISC



SHEET



ROLL



FILE



DELTA

Thanks to its flexible film backing Grinflex 742S will make sanding easy for you for any application. Perfectly even film backing also helps to decrease scratch depth and creates a high-quality surface.

Low Scratch Depth

Less clogging

Tear Resistant Film Backing



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE




CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	PE Film
Bonding	Resin / Resin
Coating	Semi Open
Colour	Green
Available Grits	P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400,P500,P600 P800,P1000,P1200,P1500,P2000

Discs

Grinflex 742F



Grinflex 742F

225mm

18+1H



Product Code	434.742F.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60,P80	50	500
P100-P200	100	1000

Grinflex 742F

200mm

8+1H



Product Code	436.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60-P120	50	50
P150-P2000	100	100

Grinflex 742F

200mm

16+1H



Product Code	437.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60-P120	50	50
P150-P2000	100	100

Grinflex 742F

150mm

No Holes



Product Code	453.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	50
P80-P2000	100	100

Grinflex 742F

150mm

6H



Product Code	451.742F1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

150mm

6+1H



Product Code	441.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

150mm

8+1H



Product Code	450.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

150mm

14+1H



Product Code	452.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

150mm

Multihole



Product Code	449.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

150mm

16+1H



Product Code	451.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

125mm

No Hole



Product Code 455.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60 50 500

P80-P2000 100 1000

Grinflex 742F

125mm

5+1H



Product Code 457.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60 50 500

P80-P2000 100 1000

Grinflex 742F

125mm

8H



Product Code 454.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60 50 500

P80-P2000 100 1000

Grinflex 742F

115mm

No Hole



Product Code 458.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60,P80 50 500

P100-P2000 100 1000

Grinflex 742F

90mm

No Holes



Product Code 459.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60-P280 250 2500

P320-P2000 500 5000

Grinflex 742F

77mm

No Holes



Product Code 460.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60-P220 200 2000

P240-P2000 250 2500

Grinflex 742F

32mm

No Hole



Product Code	495.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60-P2000	500	5000

File & Special Abrasives

Grinflex 742F



Grinflex 742F

93x178mm

No Hole



Product Code	413.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60,P80	50	500
P100-P200	100	1000

Grinflex 742F

93x178mm

8H



Product Code	414.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60,P80	50	500
P100-P200	100	1000

Grinflex 742F

70x198mm

No Hole



Product Code	412.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60-P2000	50	500

Grinflex 742F

70x400mm

No Hole



Product Code	410.742F2	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60-P120	50	500
P120-P2000	100	1000

Grinflex 742F

70x400mm

14H



Product Code	410.742F.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60-P120	50	500
P120-P2000	100	1000

Grinflex 742F

70x400mm

Multihole



Product Code	410.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60-P120	50	500
P120-P2000	100	1000

Grinflex 742F

94x135mm

No Hole



Product Code	418.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

94x135mm

7H



Product Code	428.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60	50	500
P80-P2000	100	1000

Grinflex 742F

75x100mm

No Holes



Product Code	417.742F	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P500,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Transp. Pack
P60-P150	100	1000
P180-P2000	200	2000

Grinflex 742F

70x125mm

No Hole



Product Code 415.742F

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60 100 1000

P80-P2000 200 2000

Rolls

Grinflex 742F

Grinflex 742F

115mm x 25m

Roll



Product Code 422.742F.1

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280,P320
P400,P500,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Transp. Pack

P60-P2000 1 12





Polaris 414J e-loop

kemalbasaran.com.tr

Extra Fast Stock Removal



DISC



ROLL



DELTA

Polaris is a product with cloth backing which provides extraordinarily high cutting power and long lifetime. It is ideal for all demanding jobs.

Strong & Flexible Cloth Backing

Less Sanding Scratches

Ideal For Demanding Jobs



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	J Cloth
Bonding	Resin / Resin
Coating	Close
Colour	Red
Available Grits	P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400

Discs

Polaris



Polaris

150mm

No Hole



Product Code	453.414J	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Polaris

150mm

6+1H



Product Code	441.414J	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Polaris

150mm

14+1H



Product Code	452.414J	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Polaris

125mm

No Hole



Product Code	455.414J	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60	50	500
P80-P400	100	1000

Polaris

125mm

5+1H



Product Code 457.414J

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400

Qty./Box Qty./Tnsp. Pack.

P60 50 500

P80-P400 1000 1000

Polaris

115mm

No Hole



Product Code 458.414J

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400

Qty./Box Qty./Tnsp. Pack.

P60,P80 50 500

P100-P400 100 1000

Polaris

77mm

No Hole



Product Code 460.414J

Available Grits P60,P80,P100,P120,P150,P180,P220,P240,P280
P320,P400

Qty./Box Qty./Tnsp. Pack.

P60-P400 250 2500



Special Abrasives

Polaris



Polaris

94x135mm

No Hole



Product Code	418.414J	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P100	50	500
P120-P400	100	1000

Polaris

94x135mm

7H



Product Code	428.414J	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P100	50	500
P120-P400	100	1000



Rolls

Polaris

Polaris


115mm x 25m

Roll



Product Code	422.414J.1	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P60-P400	1	12






UYARI
Bu ürünün kullanımı sırasında
güvenlik önlemleri alınmalıdır.
www.kb.com.tr

SandFlex 242S

kemalbasaran.com.tr

Best Choice for Curved Surfaces



DISC



FILE



DELTA

Sandflex 242S is a foam laminated paper product. It has been also laminated with grip material to be able to attach on the pads of sanding tools. It is a flexible product which can be used with any sanding tools for sanding on curved parts. Flexibility also prevents clogging.

Long Lifetime Thanks to its Anti-Clogging Properties

Better Sanding on Curved Surfaces

Rectangular Design Prevents Sanding Through



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	C Paper with foam
Bonding	Resin / Resin
Coating	Semi Open
Colour	Brown
Available Grits	P120,P150,P180,P220,P240,P320,P400

Discs

SandFlex 242S



SandFlex 242S

225mm

18+1H



Product Code	434.SFL.1	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

200mm

8+1H



Product Code	436.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

150mm

No Hole



Product Code	453.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

150mm

6+1H



Product Code	441.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

150mm

14+1H



Product Code	452.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

125mm

5+1H



Product Code	457.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

77mm

No Hole



Product Code	460.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	100	1000

SandFlex 242S

32mm

No Hole




Product Code	495.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	100	1000



File & Special Abrasives

SandFlex 242S



SandFlex 242S

93x178mm

No Hole



Product Code	413.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

93x178mm

8H



Product Code	414.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

81x133mm

No Hole



Product Code	419.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

81x133mm

16H



Product Code	419.SFL.1	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

94x135mm

No Hole



Product Code	418.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200

SandFlex 242S

94x135mm

7H



Product Code	428.SFL	
Available Grits	P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P120-P400	20	200





SandFlex 342S

kemalbasaran.com.tr

Flexibility & Precision



DISC

Sandflex 342S is a foam laminated paper product. It has been also laminated with grip material to be able to attach on the pads of sanding tools. It is a flexible product which can be used with any sanding tools for sanding on curved parts. Flexibility also prevents clogging.

Long Lifetime Thanks to its Anti-Clogging Properties

Better Sanding on Curved Surfaces

Rectangular Design Prevents Sanding Through



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE




CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	Foam and Grip Laminated C Paper
Bonding	Resin / Resin
Coating	Semi Open
Colour	Yellow
Available Grits	P80,P100,P120,P150,P180,P220,P240, P280, P320, P400, P600, P800

Discs

SandFlex 342S



SandFlex 342S

150mm

6+1H



Product Code	441.SFL	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P280,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P500-P800	20	200

SandFlex 342S

150mm

14+1H



Product Code	452.SFL	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P280,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P500-P800	20	200

SandFlex 342S

125mm

5+1H



Product Code	457.SFL	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P280,P320,P400,P600,P800	
	Qty./Box	Qty./Trnsp. Pack.
P500-P800	20	200







Superpad NV

kemalbasaran.com.tr

Flexible Backing & Fast Stock Removal



DISC



SHEET



ROLL



FILE



DELTA

Superpad NV Foam Abrasives provide a fine finishing both on flat and curved surfaces. Superpad has anti-clogging features which prevent deep scratches. It is suitable for use manually and by sanding tools.

Soft and Flexible Foam Backing

Anti-Clogging and Non-Scratching Grit Structure

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	Semi Soft Foam
Bonding	Resin / Resin
Coating	Close
Colour	Gray
Available Grits	P320,P400,P600,P800,P1000,P1200 P1500,P2000

Discs

Superpad NV



Superpad NV

200mm

16+1H



Product Code 431.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

150mm

No Hole



Product Code 453.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

150mm

6+1H



Product Code 441.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

150mm

8+1H



Product Code 436.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

150mm

14+1H



Product Code 452.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

150mm

16+1H



Product Code 451.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

125mm

No Hole



Product Code 455.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

125mm

5+1H



Product Code 457.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

125mm

8H



Product Code 454.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Superpad NV

90mm

No Hole



Product Code 459.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 50 500

Superpad NV

77mm

No Hole



Product Code 460.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 40 400

Superpad NV

32mm

No Hole



Product Code 495.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 100 1000



File & Special Abrasives

Superpad NV



Superpad NV

93x178mm

8H



Product Code	414.KBNV	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	10	100

Superpad NV

70x198mm

22H



Product Code	443.KBNV	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	10	100

Superpad NV

81x133mm

No Hole




Product Code	419.KBNV	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	10	100

Superpad NV

81x133mm

16H



Product Code	419.KBNV.1	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	10	100

Superpad NV

94x135mm

No Hole



Product Code	418.KBNV	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Superpad NV

94x135mm

7H



Product Code	428.KBNV	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Superpad NV

75x100mm

No Hole



Product Code	417.KBNV	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200



Rolls & Sheets

Superpad NV

Superpad NV

115x140mm

Sheet



Product Code 509.KBNV

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 100 500

Superpad NV

115mm x 25m

Roll



Product Code 422.KBNV.1

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 1 9






Softpad

kemalbasaran.com.tr

High Precision Sanding



DISC



SHEET



FILE



DELTA

Softpad Foam Abrasives provide a fine finishing both on flat and curved surfaces. Softpad has anti-clogging features which prevent deep scratches. It is suitable for use manually and by sanding tools.

Soft and Flexible Foam Backing

Anti-Clogging and Non-Scratching Grit Structure

Flexible Sanding

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	Semi Soft Foam
Bonding	Resin / Resin
Coating	Close
Colour	Blue
Available Grits	P320,P400,P600,P800,P1000,P1200 P1500,P2000

Discs

Softpad



Softpad

200mm

16+1H



Product Code	437.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

150mm

No Hole



Product Code	453.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

150mm

6+1H



Product Code	441.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

150mm

8+1H



Product Code	450.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

150mm

14+1H



Product Code	452.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

150mm

16+1H



Product Code	451.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

125mm

No Hole



Product Code	455.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

125mm

5+1H



Product Code	457.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

125mm

8H



Product Code	454.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

90mm

No Hole



Product Code	459.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	20	200

Softpad

77mm

No Hole



Product Code	460.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	40	400

Softpad

32mm

No Hole




Product Code	495.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	100	1000



File & Special Abrasives

Softpad



Softpad

93x178mm

8H



Product Code 414.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 10 100

Softpad

70x198mm

22H



Product Code 443.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 10 100

Softpad

81x133mm

No Hole



Product Code 419.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000


Qty./Box Qty./Trnsp. Pack.

P320-P2000 10 100

Softpad

81x133mm

16H



Product Code 419.KBSP.1

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 10 100

Softpad

94x135mm

No Hole



Product Code 418.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Softpad

94x135mm

7H



Product Code 428.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Softpad

75x100mm

No Hole



Product Code 417.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 20 200

Softpad

70x125mm

No Hole



Product Code 415.KBSP

Available Grits P320,P400,P600,P800,P1000,P1200,P1500,P2000

Qty./Box Qty./Trnsp. Pack.

P320-P2000 100 500



Sheets

Softpad

Softpad

115x140mm

Sheet



Product Code	509.KBSP	
Available Grits	P320,P400,P600,P800,P1000,P1200,P1500,P2000	
	Qty./Box	Qty./Trnsp. Pack.
P320-P2000	100	500





Mars 550D

kemalbasaran.com.tr

Superior Performance for Marble Sanding

Mars 550D Sanding Disc for Marble

Mars 550D is a product especially developed for marble sanding. It's durable paper backing is good for demanding jobs.

Fast stock removal

Durable paper backing

Long lifetime



MARBLE

Grain Type	Silicon Carbide	
Backing	E Paper	
Bonding	Resin / Resin	
Coating	Semi Open	
Colour	Dark Gray	
Code	458.550D	
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P320,P400,P600,P800,P1000, P1200	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	50	500
P100-P1200	100	1000





SponFlex 4 Sided

kemalbasaran.com.tr

Ideal for hand sanding on Curved Objects

100x68x25mm

Four Sided Semi Soft Foam

Sponflex 4 Sided is a flexible product since the grains are directly applied on the foam itself. It has both fast stock removal and flexibility properties. It is suitable for hand sanding.

Anti-Scratch Grain Type

Semi Flexibility

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	Semi Soft Foam	
Bonding	Resin	
Coating	Close	
Colour	Gray	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P320, P400	
	Qty./Box	Qty./Trnsp. Pack.
	40	40





SponFlex 2 Sided

kemalbasaran.com.tr

Ideal for hand sanding on Curved Objects

120x100x12mm

Two Sided Semi Soft Foam

Sponflex 2 Sided is an ultra-flexible product since the grains are directly applied on the soft foam itself. It has both fast stock removal and flexibility properties. It is suitable for hand sanding.

Anti-Scratch Grain Type

High Flexibility

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	Semi Soft Foam	
Bonding	Resin	
Coating	Close	
Colour	Gray	
Available Grits	P60,P80,P100,P120,P150,P180,P220, P320, P400	
	Qty./Box	Qty./Trnsp. Pack.
	40	40





Ipex

kemalbasaran.com.tr

Ultra Precise Fine Sanding



DISC



DELTA

Ipex has an extremely flexible backing. Thanks to its flexibility the sanded surface is without any scratches. It is mainly used on topcoat before polishing. It reduces the polishing time.

Flexible Film Backing

Special Technology Preventing Clogging

Less Sanding Scratches



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	PE film
Bonding	Resin / Resin
Coating	Close
Colour	Red(F1, F2, F3) Blue(SF1, SF2, SF3) Orange(MF1, MF2) Gray(UF1) Yellow(UF2) Brown(UF3)
Available Grits	F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2 UF3

Disc & Special Abrasives

Iplex



Iplex

200mm

8+1H



Product Code 436.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Iplex

150mm

No Hole



Product Code 453.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Iplex

150mm

6+1H



Product Code 441.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Iplex

150mm

8+1H



Product Code 450.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3


Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Ipex

150mm

14+1H



Product Code 452.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Ipex

125mm

5+1H



Product Code 457.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Ipex

32mm

No Hole



Product Code 495.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box

F1-UF3 2000

Ipex

94x135mm

7H



Product Code 428.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 100 1000

Ipex

70x125mm

No Hole




Product Code 415.IPEX

Available Grits F1,F2,F3,SF1,SF2,SF3,MF1,MF2,UF1,UF2,UF3

Qty./Box Qty./Trnsp. Pack.

F1-UF3 200 2000





FiniTex

kemalbasaran.com.tr

Fast Scratch Removal



DISC

FiniTex is a high-tech product which speeds up polishing processes if used before polishing. It removes all scratches from previous sanding steps and provides a ready to polish surface. It is suitable for use by sanding machines. Wet sanding is recommended for long lifetime and a better finished surface.

Fast Scratch Removal

High Flexibility

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Special
Backing	Semi Soft Foam
Bonding	Resin / Resin
Coating	Close
Colour	Gray
Available Grits	P3000

Discs

FiniTex



FiniTex

150mm

No Hole



Product Code 453.FNX

Available Grits P3000

Qty./Box Qty./Trnsp. Pack.

P3000 20 2000

FiniTex

125mm

No Hole



Product Code 455.FNX

Available Grits P3000

Qty./Box Qty./Trnsp. Pack.

P3000 20 2000

FiniTex

77mm

No Hole



Product Code 460.FNX

Available Grits P3000

Qty./Box Qty./Trnsp. Pack.

P3000 40 400

FiniTex

32mm

No Hole




Product Code 495.FNX

Available Grits P3000

Qty./Box Qty./Trnsp. Pack.

P3000 100 1000





Kadifex

kemalbasaran.com.tr

Fast Scratch Removal



Kadifex is a high-tech product which speeds up polishing processes if used before polishing. It removes all scratches from previous sanding steps and provides a ready to polish surface. It is suitable for use by sanding machines. Wet sanding is recommended for long lifetime and a better finished surface.

Fast Scratch Removal

High Flexibility

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Special
Backing	Semi Soft Foam
Bonding	Resin / Resin
Coating	Close
Colour	Gray
Available Grits	P2000,P3000,P4000,P5000,P6000

Discs

Kadifex



Kadifex

200mm

No Hole



Product Code 435.KSC

Available Grits P2000,P3000,P4000,P5000,P6000

Qty./Box Qty./Trnsp. Pack.

P2000-P6000 20 200

Kadifex

150mm

No Hole



Product Code 453.KSC

Available Grits P2000,P3000,P4000,P5000,P6000

Qty./Box Qty./Trnsp. Pack.

P2000-P6000 20 200

Kadifex

125mm

No Hole



Product Code 455.KSC

Available Grits P2000,P3000,P4000,P5000,P6000

Qty./Box Qty./Trnsp. Pack.

P2000-P6000 20 200

Kadifex

77mm

No Hole



Product Code 460.KSC

Available Grits P2000,P3000,P4000,P5000,P6000

Qty./Box Qty./Trnsp. Pack.

P2000-P6000 40 400

Kadifex

32mm

No Hole



Product Code 495.KSC

Available Grits P2000,P3000,P4000,P5000,P6000

Qty./Box Qty./Trnsp. Pack.

P2000-P6000 100 1000

Special Abrasives

Kadifex

Kadifex

94x135mm

No Hole



Product Code 418.KSC

Available Grits P2000,P3000,P4000,P5000,P6000

Qty./Box Qty./Trnsp. Pack.

P2000-P6000 20 200





kb NET

kemalbasaran.com.tr

100% Dust-free Sanding



DISC



ROLL



FILE



DELTA

Using KB Net, you can remove the dust created both by sanding machines and sanding blocks. This will help keeping the workshop clean and healthy. KB Net screen abrasives can be used for all sanding operations. Its special mesh form prevents it from clogging and helps creating high quality surface with uniform scratch pattern.

100% Dustless Sanding

Long LifeTime Thanks to its Anti-Clogging Mesh Form

Uniform Scratch Pattern



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	Net
Bonding	Resin / Resin
Coating	Close
Colour	Gray
Available Grits	P80,P100,P120,P150,P180,P220,P240 P320,P400

Discs

kb NET



kb NET

225mm

Screen



Product Code	434.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

200mm

Screen



Product Code	435.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

180mm

Screen



Product Code	439.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

150mm

Screen



Product Code	441.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

125mm

Screen



Product Code 455.NET

Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

50

500

kb NET

90mm

Screen



Product Code 459.NET

Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

20

2000

kb NET

77mm

Screen



Product Code 460.NET


Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

20

2000



File & Special Abrasives

kb NET



kb NET

93x178mm

Screen



Product Code	413.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

70x198mm

Screen



Product Code	412.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

70x400mm

Screen



Product Code	410.NET.1	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

81x133mm

Screen



Product Code	419.NET	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P320,P400	
	Qty./Box	Qty./Trnsp. Pack.
P80-P400	50	500

kb NET

94x135mm

Screen



Product Code 418.NET

Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

50

500

kb NET

75x100mm

Screen



Product Code 417.NET

Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

50

500

kb NET

70x125mm

Screen



Product Code 415.NET

Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

100

1000

kb NET

115x230mm

Screen



Product Code 421.NET

Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

25

250

kb NET

115mm x 25m

Roll



Product Code 422.NET.1


Available Grits P80,P100,P120,P150,P180,P220,P240,P320,P400

Qty./Box Qty./Trnsp. Pack.

P80-P400

1

12





WoD AL20

kemalbasaran.com.tr

Durability and Perfect Surface Quality



SHEET



DISC

AL20 is a superior quality aluminium oxide sand paper with special latex backing. This product has a long lifetime and a smooth scratch pattern which guarantees a high-quality surface finish.

Durable

Better Scratch Pattern Results in a Smoothly Sanded Surface

Flexible and Curl-Resistant Latex Backing



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide
Backing	Latex Paper
Bonding	Resin / Resin
Coating	Close
Colour	Red
Available Grits	P80,P100,P120,P150,P180,P220,P240 P280,P320,P360,P400,P500,P600 P800,P1000,P1200

Sheets

WoD AL20



WoD AL20

230x280mm

Sheet



Product Code	480.AL20	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P280,P320,P360 P400,P500,P600,P800,P1000,P1200	
	Qty./Box	Qty./Trnsp. Pack.
P120-P600	50	500
P800-P1200	50	500

WoD AL20

115x140mm

Sheet



Product Code	481.AL20	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P280,P320,P360 P400,P500,P600,P800,P1000,P1200	
	Qty./Box	Qty./Trnsp. Pack.
P120-P1200	400	6000

WoD AL20

250mm

No Hole



Product Code	439.AL20	
Available Grits	P80,P100,P120,P150,P180,P220,P240,P280,P320,P360 P400,P500,P600,P800,P1000,P1200	
	Qty./Box	Qty./Trnsp. Pack.
P120-P1200	50	500






WoD SL20

kemalbasaran.com.tr

Perfect Finish Without Scratches



SHEET



DISC

SL20 is a superior quality silicon carbide sandpaper with flexible latex backing. Special silicon carbide grits result a fine and smooth sanded surface without any deep scratches. High quality latex backing prevents curling even in a humid workplace.

Minimum Scratch Depth

Non-curling Latex Backing



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE




CONSTRUCTION

Grain Type	Silicon Carbide
Backing	Latex Paper
Bonding	Resin / Resin
Coating	Close
Colour	Dark Gray
Available Grits	P150,P180,P220,P320,P400,P500,P600 P800,P1000,P1200,P1500,P2000,P2500

Sheets

WoD SL20



WoD SL20

230x280mm

Sheet



Product Code	480.SL20	
Available Grits	P150,P180,P220,P320,P400,P500,P600,P800,P1000 P1200,P1500,P2000,P2500	
	Qty./Box	Qty./Trnsp. Pack.
P150-P2500	50	500

WoD SL20

115x140mm

Sheet



Product Code	481.SL20	
Available Grits	P150,P180,P220,P320,P400,P500,P600,P800,P1000 P1200,P1500,P2000,P2500	
	Qty./Box	Qty./Trnsp. Pack.
P150-P2500	400	6000

WoD SL20

250mm

No Hole



Product Code	439.SL20	
Available Grits	P150,P180,P220,P320,P400,P500,P600,P800,P1000 P1200,P1500,P2000,P2500	
	Qty./Box	Qty./Trnsp. Pack.
P150-P2500	50	500





NovaFlex

kemalbasaran.com.tr



DISC



SHEET



ROLL

Novaflex is an excellent finishing product for both flat and curved surfaces. Thanks to its three-dimensional fibre structure it creates a homogeneously sanded surface.

Flexible Fibre Structure

Grits Both Inside and on Surface

Fast Finishing, Homogeneously Sanded Surface



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Silicon Carbide / Aluminium Oxide
Backing	Nonwoven
Colour	Gray / Red
Available Grits	SUF-HD-PLUS / AVF-HD-PLUS

Flexible and Three Dimensional

Discs

NovaFlex SUF HD

NovaFlex SUF HD

200mm

No Hole



Product Code 500.4200

Available Grits SUF HD

Qty./Box Qty./Trnsp. Pack.

10

100

NovaFlex SUF HD

150mm

No Hole



Product Code 500.4040

Available Grits SUF HD

Qty./Box Qty./Trnsp. Pack.

10

100

NovaFlex SUF HD

125mm

No Hole



Product Code 500.3045

Available Grits SUF HD

Qty./Box Qty./Trnsp. Pack.

10

100



Rolls & Sheets

NovaFlex SUF HD

NovaFlex SUF HD

94x135mm

Delta



Product Code	500.2132
Available Grits	SUF HD
Qty./Box	Qty./Trnsp. Pack.
10	100

NovaFlex SUF HD

230x280mm

Sheet



Product Code	500.3230
Available Grits	SUF HD
Qty./Box	Qty./Trnsp. Pack.
10	100

NovaFlex SUF HD

150x230mm

Sheet



Product Code	500.3055
Available Grits	SUF HD
Qty./Box	Qty./Trnsp. Pack.
25	300

NovaFlex SUF HD

115mm x 25m

Roll



Product Code	500.3025
Available Grits	SUF HD
Qty./Box	Qty./Trnsp. Pack.
1	10



Discs

NovaFlex SUF PLUS

NovaFlex SUF PLUS

150mm

No Hole



Product Code 500.1029

Available Grits SUF PLUS

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex SUF PLUS

125mm

No Hole



Product Code 500.1035

Available Grits SUF PLUS

Qty./Box

Qty./Trnsp. Pack.

10

100



Rolls & Sheets

NovaFlex SUF PLUS

NovaFlex SUF PLUS

94x135mm

Delta



Product Code 500.2032

Available Grits SUF PLUS

Qty./Box Qty./Trnsp. Pack.

10 100

NovaFlex SUF PLUS

230x280mm

Sheet



Product Code 500.1019

Available Grits SUF PLUS

Qty./Box Qty./Trnsp. Pack.

10 100

NovaFlex SUF PLUS

150x230mm

Sheet



Product Code 500.2010

Available Grits SUF PLUS

Qty./Box Qty./Trnsp. Pack.

25 250

NovaFlex SUF PLUS

115mm x 25m

Roll



Product Code 500.1021

Available Grits SUF PLUS

Qty./Box Qty./Trnsp. Pack.

1 12



Discs

NovaFlex AVF HD

NovaFlex AVF HD

150mm

No Hole



Product Code 500.3040

Available Grits AVF HD

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex AVF HD

125mm

No Hole



Product Code 500.3045

Available Grits AVF HD

Qty./Box

Qty./Trnsp. Pack.

10

100



Rolls & Sheets

NovaFlex AVF HD

NovaFlex AVF HD

94x135mm

Delta



Product Code 500.1132

Available Grits AVF HD

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex AVF HD

230x280mm

Sheet



Product Code 500.3130

Available Grits AVF HD

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex AVF HD

150x230mm

Sheet



Product Code 500.3010

Available Grits AVF HD

Qty./Box

Qty./Trnsp. Pack.

25

300

NovaFlex AVF HD

115mm x 25m

Roll



Product Code 500.3125

Available Grits AVF HD

Qty./Box

Qty./Trnsp. Pack.

1

10



Discs

NovaFlex AVF PLUS

NovaFlex AVF PLUS

150mm

No Hole



Product Code 500.1030

Available Grits AVF PLUS

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex AVF PLUS

125mm

No Hole



Product Code 500.1031

Available Grits AVF PLUS

Qty./Box

Qty./Trnsp. Pack.

10

100



Rolls & Sheets

NovaFlex AVF PLUS

NovaFlex AVF PLUS

94x135mm

Delta



Product Code 500.1032

Available Grits AVF PLUS

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex AVF PLUS

230x280mm

Sheet



Product Code 500.1010

Available Grits AVF PLUS

Qty./Box

Qty./Trnsp. Pack.

10

100

NovaFlex AVF PLUS

150x230mm

Sheet



Product Code 500.1230

Available Grits AVF PLUS

Qty./Box

Qty./Trnsp. Pack.

25

250

NovaFlex AVF PLUS

115mm x 25m

Roll



Product Code 500.1013

Available Grits AVF PLUS

Qty./Box

Qty./Trnsp. Pack.

1

12





StarCut Paper

kemalbasaran.com.tr

Dust Removal on Top-Coat

StarCut is designed for delicately removing dust and runs on topcoat. Due to small sanded area and minimum scratches the polishing process will be quick and easy. This results in cost reduction and better quality.

Minimum Sanding Scratches

Both for Hand and Machine Sanding

For Wet Sanding

32mm Diameter



COMPOSITES



AUTOMOTIVE



MARINE

	32mm	No Hole
Grain Type	Aluminium Oxide	
Backing	Latex Paper	
Bonding	Resin / Resin	
Coating	Close	
Colour	Light Blue	
Product Code	496.Y32	
Available Grits	P2000,P3000	
	Qty./Box	Qty./Trnsp. Pack.
	1000	10000





StarCut Film

kemalbasaran.com.tr

Dust Removal on Top-Coat

StarCut Film is designed for delicately removing dust and runs on topcoat. Due to small sanded area and minimum scratches the polishing process will be quick and easy. This results in cost reduction and better quality.

Minimum Sanding Scratches

Both for Hand and Machine Sanding

For Wet Sanding

32mm Diameter



COMPOSITES




AUTOMOTIVE



MARINE

	32mm	No Hole
Grain Type	Aluminium Oxide	
Backing	PE film	
Bonding	Resin / Resin	
Coating	Close	
Colour	Green	
Product Code	496.Y34PF	
Available Grits	P2000,P3000	
	Qty./Box	Qty./Trnsp. Pack.
	1000	10000





Sirius 614X

kemalbasaran.com.tr

Robust Backing



WIDE BELT



NARROW BELT

Sirius 614X is a very aggressive product with long lifetime. It is suitable both for metal and wood industries. Its robust construction guarantees a long lifetime and high stock removal rate.

Robust Backing

High Stock Removal

Long Lifetime



WOOD



METAL



COMPOSITES

Grain Type	Aluminium Oxide
Backing	X Cloth
Bonding	Resin / Resin
Coating	Close
Colour	Brown
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220



Sirius 614X

330x10mm



Product Code	I.R.614X.330*10.0040
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	1000

Sirius 614X

520x20mm



Product Code	I.R.614X.520*20.0040
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	1000

Sirius 614X

610x100mm



Product Code	I.R.614X.610*100.0040
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Box	5

Sirius 614X

1250x100mm



Product Code	I.R.614X.1250*100.0040
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Box	25
Qty./Trnsp. Pack.	100

Sirius 614X

7100x100mm



Product Code	I.R.614X.7100*100.0040
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	
	13

Sirius 614X


7100x150mm



Product Code	I.R.614X.7100*150.0040
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	
	9

Sirius 614X

1900x650mm



Product Code	U.614X.1900*650
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	
P40,P60	5
P80	10

Sirius 614X

2620x1350mm



Product Code	U.614X.2620*1350
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	
P40,P60	5
P80	10

Sirius 614X

1900x1100mm



Product Code	U.614X.1900*1100
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220
Qty./Trnsp. Pack.	
P40,P60	5
P80	10





Polaris 414J

kemalbasaran.com.tr

Flexibility & Long Lifetime



WIDE BELT



NARROW BELT

Polaris 414J is suitable for sanding and polishing applications in metal, wood and composites industries. Its poly-cotton backing makes it flexible and durable. Better polishing results are guaranteed thanks to its uniform grain distribution.

Strong & Flexible Cloth Backing

Less Sanding Scratches

Ideal For Demanding Jobs



WOOD



METAL



COMPOSITES

Grain Type	Aluminium Oxide
Backing	J Cloth
Bonding	Resin / Resin
Coating	Close
Colour	Red
Available Grits	P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400,P600



Polaris 414J

330x10mm



Product Code	I.R.414J.330*10.0060
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P600
Qty./Trnsp. Pack.	1000

Polaris 414J

457x13mm



Product Code	I.R.414J.457*13.0060
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P600
Qty./Box	Qty./Trnsp. Pack.
250	3000

Polaris 414J

1250x100mm



Product Code	I.R.414J.1250*100.0060
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P600
Qty./Box	Qty./Trnsp. Pack.
25	100

Polaris 414J


2000x50mm



Product Code	I.R.414J.2000*50.0060
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P600
Qty./Box	Qty./Trnsp. Pack.
25	100

Polaris 414J

350x220mm



Product Code	I.R.414J.350*220.0060	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P600	
	Qty./Box	Qty./Trnsp. Pack.
	5	100

Polaris 414J

3000x50mm



Product Code	I.R.414J.3000*50.0060	
Available Grits	P60,P80,P100,P120,P150,P180,P220,P240,P280,P320 P400,P600	
	Qty./Box	Qty./Trnsp. Pack.
	25	100





Rigel 540E

kemalbasaran.com.tr

Heavy Weight Paper



WIDE BELT



NARROW BELT

Rigel 540E is suitable for wood and metal industries. It is available as narrow and wide belts as well as rolls. Its heavy weight paper backing makes it a strong and long-life product.

Strong E Weight Paper

High Stock Removal

Long Lifetime



WOOD



METAL




COMPOSITES

Grain Type	Aluminium Oxide
Backing	E Paper
Bonding	Resin / Resin
Coating	Close
Colour	Red
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220 P240,P280,P320,P400

Rigel 540E

1900x650mm



Product Code	U.R.1900*650
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400
Qty./Trnsp. Pack.	
P40,P60	5
P80	10

Rigel 540E

2620x1350mm



Product Code	U.R.2620*1350
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400
Qty./Trnsp. Pack.	
P40,P60	5
P80	10

Rigel 540E

1900x1100mm



Product Code	U.R.1900*1100
Available Grits	P40,P60,P80,P100,P120,P150,P180,P220,P240,P280 P320,P400
Qty./Trnsp. Pack.	
P40,P60	5
P80	10







Vega 734Y

kemalbasaran.com.tr

Strong and Durable



WIDE BELT



NARROW BELT

Vega 734Y is a Y weight polyester backing product for heavy sanding applications in metal industry. Thanks to its polyester backing Vega 734Y is suitable for the most demanding applications.

Robust Backing

High Stock Removal

Waterproof Backing



WOOD



METAL



COMPOSITES

Grain Type	Zirconium Oxide
Backing	Y Weight Polyester
Bonding	Resin / Resin
Coating	Close
Colour	Greenish Blue
Available Grits	P24,P36,P40,P60,P80,P120,P150,P180

Vega 734Y

610x100mm



Product Code	I.R.V.610*100	
Available Grits	P24,P36,P40,P60,P80,P120,P150,P180	
	Qty./Box	Qty./Trnsp. Pack.
P24	5	100
P40,P60,P80	15	
P100	25	

Vega 734Y

1250x100mm



Product Code	I.R.V.1250*100	
Available Grits	P24,P36,P40,P60,P80,P120,P150,P180	
	Qty./Box	
P24,P36	10	








Flatpan

kemalbasaran.com.tr

Perfect Calibration



WIDE BELT

Flatpan is used for panel sanding application. Flatpan is available with one, two or three joints as segmented belts. It is especially good for perfectly calibrating panels. Its polyester backing provides a long lifetime.

High Stock Removal

Long Lifetime

Robust Backing



WOOD



METAL



COMPOSITES

Grain Type	Silicon Carbide
Backing	Polyester
Bonding	Resin / Resin
Coating	Close
Colour	Dark Gray
Available Grits	P40,P60,P80,P100,P120,P150,P180



kb Flap Disc ZR

kemalbasaran.com.tr

Strong and Durable

kb Flap Vega

kb Flap discs are suitable for all heavy duty grinding and sanding needs. They have a very good stock removal rate and long lifetime. The surface quality of grinded material is good.

High Stock Removal

Long Lifetime

Good Surface Quality



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Zirconium Oxide	
Backing	X Cloth	
Bonding	Resin / Resin	
Coating	Close	
Colour	Blue	
Product Code	F1153.7201J.A	
Available Grits	P40,P60,P80	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	10	100





kb Flap Disc AO

kemalbasaran.com.tr

Strong and Durable

kb Flap Orion

kb Flap discs are suitable for all heavy duty grinding and sanding needs. They have a very good stock removal rate and long lifetime. The surface quality of grinded material is good.

High Stock Removal

Long Lifetime

Good Surface Quality



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	X Cloth	
Bonding	Resin / Resin	
Coating	Close	
Colour	Brown	
Product Code	F1152.7201J.A	
Available Grits	P40,P60,P80	
	Qty./Box	Qty./Trnsp. Pack.
P40-P80	10	100





kb Minidisc Vega

kemalbasaran.com.tr

Mini Grinding



DISC

Vega Minidiscs are suitable for grinding and sanding of hard-to-reach areas. It is easy to mount to the pad and remove from the pad.

Easy to Use

Good for Grinding on Hard-to-Reach Areas

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Zirconium Oxide
Backing	Y Cloth
Bonding	Resin / Resin
Coating	Close
Colour	Blue
Available Grits	P24,P36,P40,P60,P80,P120

kb Minidisc Vega

38mm



Product Code	464.VG	
Available Grits	P24,P36,P40,P60,P80,P120	
	Qty./Box	Qty./Trnsp. Pack.
P24-P120	20	200

kb Minidisc Vega

50mm



Product Code	464.VG	
Available Grits	P24,P36,P40,P60,P80,P120	
	Qty./Box	Qty./Trnsp. Pack.
P24-P120	20	200

kb Minidisc Vega Pad

31.5mm




Product Code	690.KB.001	
	Qty./Box	Qty./Trnsp. Pack.
	1	1

kb Minidisc Vega Pad

45mm



Product Code	690.KB.002	
	Qty./Box	Qty./Trnsp. Pack.
	1	1







kb Minidisc ScFlex

kemalbasaran.com.tr

kb Minidisc ScFlex

SCFlex Minidiscs are suitable for grinding and sanding of hard-to-reach areas. It is easy to mount to the pad and remove from the pad. SCFlex Minidisc is good to remove the sanding and grinding marks from previous operations and to polish the surface.

Easy to Use

Good for Grinding on Hard-to-Reach Areas

Long Lifetime



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	Non-woven	
Bonding	Resin / Resin	
Coating	Special	
Colour	Brown P80, Red P120	
Product Code		
Available Grits	P80,P120	
	Qty./Box	Qty./Trnsp. Pack.
P80-P120	20	200





Abrasive Brush

kemalbasaran.com.tr

Abrasive brush is suitable for sanding items with cavities and irregular surfaces without damaging the form of the object. It is mountable on a drill or screwdriver.

Flexible Brush

Sanding on Uneven Surfaces

Durability



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION

Grain Type	Aluminium Oxide	
Backing	J Cloth	
Bonding	Resin / Resin	
Coating	Close	
Colour	Red	
Product Code	600.R.50.55.60	
Available Grits	P60,P80,P100,P120,P150,P180,P220, P320,P400,P600	
	Qty./Box	Qty./Trnsp. Pack.
P60-P600	12	120



Dust Extraction Systems







WOOD



METAL



COMPOSITE



AUTOMOTIVE



MARINE



CONSTRUCTION



TE20-EP Multivac

kemalbasaran.com.tr

Electrical Dust Extractor

TE20-EP Multivac is specially designed to vacuum dust from pneumatic or electric sanders used in factories and workshops. It has the ability to work synchronized with pneumatic or electric hand tools. It is resistant to the harsh conditions of intensive working environment.

- Ability to work synchronized with hand tools
- Ability to connect two machines simultaneously
- High vacuum power
- Ergonomic and durable design

Technical Specifications

Voltage	220 - 240V ~
Frequency	50/60 Hz
Power	1500 W
Vacuum	4500 L / m
Vacuum Power	250 mbar
Noise Level	60 dBA
Tank Volume	20 L
Size	507mm x 385mm x 580mm
Weight	12,4 kg



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



AUTOMOTIVE



MARINE



CONSTRUCTION



T40-PN AirVac

kemalbasaran.com.tr

T40-PN AirVac

Pneumatic Dust Extractor

TE40-PN is a high performance dust extractor powered by compressed air. It is not affected by long-term and uninterrupted working conditions. Since the suction is not provided by an electric motor, there is no motor or electronic card failure. Thanks to its automatic start/stop feature, suction starts simultaneously when the connected air tool starts and stops when the air tool stops. Starting and stopping is much faster than electric suction devices. In this way, dust does not spread to the environment and energy is saved.

Suction is done with compressed air; there is no electric motor. Since it works with air, it completely eliminates possible fire risks. With its automatic start function, it consumes air only during sanding. Automatic operation is done with electricity.

Technical Specifications

Voltage*	220V
Frequency	50Hz
Vacuum	1680 L / m
Air Consumption	420 L / m
Noise Level	72 dBA
Tank Volume	40 L
Size	670mm x 390mm x 400mm(h)
Weight	12,3 kg

*Electric is necessary to observe the air flow.



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



Sanding Machines







AROS5316CV

kemalbasaran.com.tr

125mm

Orbital Sanding Machine

AROS5316CV is an ergonomic pneumatic orbital sander with 5mm orbit and central vacuum extraction. It is a strong and durable tool with low noise and lightweight. Most important feature of AROS5316CV is low vibration which helps the operator to work for longer periods without getting tired.

Fast Sanding

Low Air Consumption

Low Vibration to Wrist & Arm

Low Noise Level

Technical Specifications

Pad Size	125 mm
Orbit	5 mm
Speed	12.000 rpm
Dust Extraction	Central Vacuum
Net Weight	760 gr
Height	95 mm
Length	215 mm
Air Consumption	481lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



AROS6316CV

kemalbasaran.com.tr



150mm

Orbital Sanding Machine

AROS6316CV is an ergonomic pneumatic orbital sander with 5mm orbit and central vacuum extraction. It is a strong and durable tool with low noise and lightweight. Most important feature of AROS6316CV is low vibration which helps the operator to work for longer periods without getting tired.

Fast Sanding

Low Air Consumption

Low Vibration to Wrist & Arm

Low Noise Level

Technical Specifications

Pad Size	150 mm
Orbit	5 mm
Speed	12.000 rpm
Dust Extraction	Central Vacuum
Net Weight	910 gr
Height	95 mm
Length	221 mm
Air Consumption	481lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



OS913CV

kemalbasaran.com.tr

Orbital Sanding Machine

OS3913CV is a pneumatic orbital sander with central vacuum extraction. It is a strong and durable tool with very low noise and lightweight. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired.

Rectangular Design Prevents Sanding Through

Easy sanding on edges and curved surfaces

Perfect for surface levelling

Low Vibration and Noise Level

Technical Specifications

Pad Size	94x135 mm
Orbit	3 mm
Speed	10.000 rpm
Dust Extraction	Central Vacuum
Net Weight	720 gr
Height	84 mm
Length	230 mm
Air Consumption	481lt/min
Air Pressure	6,2 Bar





ROS6316CV

kemalbasaran.com.tr

150mm

Orbital Sanding Machine

ROS6SERIES Tools are strong and durable machines. Their low vibration allows the operator to work for longer times without getting tired. Their low noise feature is also very important especially for workshops with more than one machine running simultaneously. Another feature of ROS6SERIES is low compressed air usage which reduces the energy costs and saves you investment in additional air compressors.

Fast Sanding

Low Air Consumption

Low Vibration to Wrist & Arm

Low Noise Level

Technical Specifications

Pad Size	150 mm
Orbit	5 mm
Speed	12.000 rpm
Dust Extraction	Central Vacuum
Net Weight	820 gr
Height	83 mm
Length	223 mm
Air Consumption	481lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



ROS5316CV

kemalbasaran.com.tr

125mm

Orbital Sanding Machine

ROS5316CV is a strong and durable machine. Its low vibration allows the operator to work for longer times without getting tired. Its low noise feature is also very important especially for workshops with more than one machine running simultaneously. Another feature of ROS5316CV is low compressed air usage which reduces the energy costs and saves you investment in additional air compressors.

Fast Sanding

Low Air Consumption

Low Vibration to Wrist & Arm

Low Noise Level

Technical Specifications

Pad Size	125 mm
Orbit	5 mm
Speed	12.000 rpm
Dust Extraction	Central Vacuum
Net Weight	760 gr
Height	83 mm
Length	215 mm
Air Consumption	481lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



ROS3316

kemalbasaran.com.tr

77mm

Orbital Sanding Machine

ROS3316 is a strong and durable machine. Its low vibration allows the operator to work for longer times without getting tired. Its low noise feature is also very important especially for workshops with more than one machine running simultaneously. Another feature of ROS3316 is low compressed air usage which reduces the energy costs and saves you investment in additional air compressors.

Fast Sanding

Low Air Consumption

Low Vibration to Wrist & Arm

Low Noise Level

Technical Specifications

Pad Size	77 mm
Orbit	5 mm
Speed	10.000 rpm
Dust Extraction	Non-Vacuum
Net Weight	600 gr
Height	89 mm
Length	124 mm
Air Consumption	481lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



150mm

Two Handed Turbo Orbital Sander

ROS2-6308CV is a sander with very fast sanding feature. It saves time, energy and material. Its strong construction makes it durable and easy to control. Thanks to its low vibration the operator does not get tired working for long periods.

Fast Sanding

Low Air Consumption

Low Vibration to Wrist & Arm

Low Noise Level

Technical Specifications

Pad Size	150 mm
Orbit	10 mm
Speed	12.000 rpm
Dust Extraction	Central Vacuum
Net Weight	1415 gr
Height	112 mm
Length	328 mm
Air Consumption	594 lt/min
Air Pressure	6,2 Bar

ROS2-6516CV

kemalbasaran.com.tr



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



200mm

Two Handed Turbo Orbital Sander

ROS2-8316CV is a pneumatic orbital sander with 5mm orbit and central dust extraction. It is a strong and durable tool with very low noise and lightweight. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired. ROS2-8316CV is especially designed for sanding large surfaces. It removes the waves and creates a perfectly even surface.

Faster Sanding on Big Surfaces

Better Levelling

Low Energy Consumption

Low Vibration and Noise Level

Technical Specifications

Pad Size	200 mm
Orbit	5 mm
Speed	10.000 rpm
Dust Extraction	Central Vacuum
Net Weight	1660 gr
Height	115 mm
Length	355 mm
Air Consumption	594 lt/min
Air Pressure	6,2 Bar

ROS2-8316CV

kemalbasaran.com.tr



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



ROS1332CV

kemalbasaran.com.tr

Orbital Sanding Machine

ROS1332 is designed for removing dust particles and repairing small defects on top-coat efficiently. ROS1332 helps to reduce costs and save time as well as improving top-coat quality. ROS1332 has random orbital type pad movement.

For Sanding Small Defects on Top-coat and Clear-coat

Efficiently Repair Dust Particles and Runs

Low Noise and Vibration Level

Technical Specifications

Pad Size	32 mm
Orbit	2,5 mm
Speed	8.000 rpm
Dust Extraction	Non-Vacuum
Net Weight	480 gr
Height	99 mm
Length	124 mm
Air Consumption	425 lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES




AUTOMOTIVE



MARINE



CONSTRUCTION



OS1332

kernalbasaran.com.tr

Orbital Sanding Machine

OS1332 is designed for removing dust particles and repairing small defects on top-coat efficiently. OS1332 helps to reduce costs and save time as well as improving top-coat quality. OS1332 has oscillating type pad movement.

For Sanding Small Defects on Top-coat and Clear-coat

Efficiently Repair Dust Particles and Runs

Low Noise and Vibration Level

Oscillating Pad Movement

Technical Specifications

Pad Size	32 mm
Orbit	2,5 mm
Speed	10.000 rpm
Dust Extraction	Non-Vacuum
Net Weight	612 gr
Height	89 mm
Length	124 mm
Air Consumption	481 lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



OS4718CV

kemalbasaran.com.tr

Orbital Sanding Machine

OS4718CV is a pneumatic orbital sander with central vacuum extraction. It is a strong and durable tool with very low noise and lightweight. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired.

Rectangular design prevents sanding through

Easy sanding on edges and curved surfaces

Perfect for surface levelling

Low vibration and noise level

Technical Specifications

Pad Size	93x178 mm
Orbit	3 mm
Speed	10.000 rpm
Dust Extraction	Central Vacuum
Net Weight	1070 gr
Height	99 mm
Length	236 mm
Air Consumption	453 lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



OS3818CV

kemalbasaran.com.tr

Orbital Sanding Machine

OS3818CV is a pneumatic orbital sander with central vacuum extraction. It is a strong and durable tool with very low noise and lightweight. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired.

Rectangular design prevents sanding through

Easy sanding on edges and curved surfaces

Perfect for surface levelling

Low vibration and noise level

Technical Specifications

Pad Size	70x198 mm
Orbit	3 mm
Speed	10.000 rpm
Dust Extraction	Central Vacuum
Net Weight	960 gr
Height	118 mm
Length	248 mm
Air Consumption	453 lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



75x100mm

Orbital Sanding Machine

OS3418CV is a pneumatic orbital sander with central vacuum extraction. It is a strong and durable tool with very low noise and lightweight. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired.

Rectangular design prevents sanding through

Easy sanding on edges and curved surfaces

Perfect for surface levelling

Low vibration and noise level

Technical Specifications

Pad Size	75x100 mm
Orbit	3 mm
Speed	10.000 rpm
Dust Extraction	Central Vacuum
Net Weight	720 gr
Height	84 mm
Length	202 mm
Air Consumption	453 lt/min
Air Pressure	6,2 Bar

OS3418CV

kemalbasaran.com.tr



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



OS3518CV

kemalbasaran.com.tr



81x133mm

Orbital Sanding Machine

OS3518CV is a pneumatic orbital sander with central vacuum extraction. It is a strong and durable tool with very low noise and lightweight. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired.

Rectangular design prevents sanding through

Easy sanding on edges and curved surfaces

Perfect for surface levelling

Low vibration and noise level

Technical Specifications

Pad Size	81x133 mm
Orbit	3 mm
Speed	10.000 rpm
Dust Extraction	Central Vacuum
Net Weight	850 gr
Height	95 mm
Length	217 mm
Air Consumption	453 lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



MB520

kemalbasaran.com.tr

Minibelt Sanding Machine

MB520 is a compact minibelt sander which is strong and durable sander with low noise and vibration levels. Most important feature of this tool is low vibration which helps the operator to work for longer periods without getting tired.

Fast sanding

Low air consumption

Low vibration and noise level

Low noise level

Technical Specifications

Belt Size	520 mm x 20 mm
Speed	16.000 rpm
Dust Extraction	Non-Vacuum
Net Weight	1350 gr
Height	75 mm
Length	400 mm
Air Consumption	481 lt/min
Air Pressure	6,2 Bar



WOOD



METAL



COMPOSITES



AUTOMOTIVE



MARINE



CONSTRUCTION



Foam Interface

kemalbasaran.com.tr

Higher Flexibility



DISC



SHEET



ROLL



FILE



DELTA

Foam Interfaces make the pad of the sanding machines flexible and provides a fine sanding on curved surfaces. Foam Interface prevents sanding-throughs and damages to the form of the sanded item. It also helps to achieve a uniformly sanded surface.

More Flexible Sanding Pads

Better Finishing Quality

Easy Sanding on Curved Surfaces

Foam Interface

200mm

8+1H



Product Code 691.0200

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

200mm

16+1H



Product Code 691.0210

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

150mm

No Hole



Product Code 691.0153

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

150mm

6+1H



Product Code 691.0151

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

150mm

14+1H



Product Code 691.0154

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

150mm

Multihole



Product Code 691.0157

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

125mm

No Hole



Product Code 691.0120

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

125mm

5+1H



Product Code 691.0122

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

125mm

8H



Product Code 691.0128

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

77mm

No Hole



Product Code 691.0077

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

10

100

Foam Interface

32mm

No Hole



Product Code 691.0032

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

50

500

Foam Interface

93x178mm

No Hole



Product Code 691.7019

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

5

50

Foam Interface

93x178mm

8H



Product Code 691.9377

Kalınlık 9,5mm

Qty./Box Qty./Tmosp. Pack.

5 50

Foam Interface

70x198mm

No Hole



Product Code 691.7019

Kalınlık 9,5mm

Qty./Box Qty./Tmosp. Pack.

5 50

Foam Interface

70x198mm

22H



Product Code 691.7098

Kalınlık 9,5mm

Qty./Box Qty./Tmosp. Pack.

5 50

Foam Interface

81x133mm

No Hole



Product Code 691.9379

Kalınlık 9,5mm

Qty./Box Qty./Tmosp. Pack.

5 50

Foam Interface

81x133mm

16H



Product Code 691.9383

Kalınlık 9,5mm

Qty./Box Qty./Tmosp. Pack.

5 50

Foam Interface

94x135mm

No Hole



Product Code 691.0135

Kalınlık 9,5mm

Qty./Box Qty./Tmosp. Pack.

10 100

Foam Interface

94x135mm

7H



Product Code 691.9413

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

10

100

Foam Interface

75x100mm

No Hole



Product Code 691.9380

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

10

100

Foam Interface

75x100mm

4H



Product Code 691.9384

Kalınlık 9,5mm

Qty./Box

Qty./Trnsp. Pack.

10

100





Pad Protector

kemalbasaran.com.tr

Pad Saver



DISC



SHEET



ROLL



FILE



DELTA

Pad protector is used to save the hooks on the sanding pads. It prevents the plastic hooks from melting in time. It saves money. It must be mounted on the sanding pad when the pad is new.

Pad Saver

Money Saver

Pad Protector

225mm

18+1H



Product Code	692.0225	
	Qty./Box	Qty./Trnsp. Pack.
	5	50

Pad Protector

200mm

16+1H



Product Code	692.0210	
	Qty./Box	Qty./Trnsp. Pack.
	5	50

Pad Protector

150mm

6+1H



Product Code	692.0151	
	Qty./Box	Qty./Trnsp. Pack.
	5	50

Pad Protector

150mm

14+1H



Product Code	692.0155	
	Qty./Box	Qty./Trnsp. Pack.
	5	50

Pad Protector

150mm

Multihole



Product Code	692.0154	
	Qty./Box	Qty./Trnsp. Pack.
	5	50

Pad Protector

125mm

5+1H



Product Code	692.0122	
	Qty./Box	Qty./Trnsp. Pack.
	5	50

Pad Protector

125mm

8H



Product Code 692.0128

Qty./Box	Qty./Trnsp. Pack.
5	50

Pad Protector

77mm

No Hole



Product Code 692.0116

Qty./Box	Qty./Trnsp. Pack.
10	100

Pad Protector

93x178mm

8H



Product Code 692.9377

Qty./Box	Qty./Trnsp. Pack.
5	50

Pad Protector

70x198mm

22H



Product Code 692.7020

Qty./Box	Qty./Trnsp. Pack.
5	50

Pad Protector

70x400mm

14H



Product Code 692.7045

Qty./Box	Qty./Trnsp. Pack.
25	250

Pad Protector

81x133mm

16H



Product Code 692.8313

Qty./Box	Qty./Trnsp. Pack.
5	50

Pad Protector

94x135mm

7H



Product Code 692.9413

Qty./Box

Qty./Trnsp. Pack.

5

50

Pad Protector

75x100mm

4H



Product Code 692.7511


Qty./Box

Qty./Trnsp. Pack.

10

100







Sanding Pads

kemalbasaran.com.tr

Anti-vibration Pads



DISC



SHEET



ROLL



FILE



DELTA

Original pads ensure a non-vibrating sanding machine. The sanding operator can work longer times when there is no vibration to his/her wrist and arm. This way the safety of the worker is also protected.

Precise Sanding


No Vibration to Wrist and Arm

Long Lifetime

Sanding Pads

200mm

Multihole



Product Code	690.889VH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

180mm

M14 No Hole



Product Code	679.2001	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

150mm

M14 No Hole



Product Code	690.TTG.PN630016-YUM	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

150mm

6+1H



Product Code	690.607VH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

150mm

6+1H



Product Code	690.TTG.P96B0A-016	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

150mm

Multihole



Product Code	690.652VJH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

125mm

No Hole

Product Code	690.500H	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

125mm

M14 No Hole



Product Code	690.TTG.PN5300-SERT	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

125mm

5+1H



Product Code	690.506VH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

115mm

M14 No Hole



Product Code	690.TTG.PND300	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

90mm

No Hole



Product Code	690.TTG.P94D00-416	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

77mm

No Hole




Product Code	690.TTG.P43A00	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

32mm

PSA



Product Code	690.4711500-B	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

32mm

Velcro




Product Code	690.4711501-B	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

93x178mm

Multihole



Product Code	690.4776VJH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

70x198mm

Multihole




Product Code	690.3856VJH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

81x133mm

Multihole



Product Code	690.3550VJH	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

94x135mm

No Hole



Product Code	690.TTG.P3040-716	
	Qty./Box	Qty./Trnsp. Pack.
	20	200

Sanding Pads

94x135mm

7H



Product Code 690.TTG.P3040-816

Qty./Box

Qty./Trnsp. Pack.

20

200

Sanding Pads

75x100mm

4H

Product Code 690.3433VH

Qty./Box

Qty./Trnsp. Pack.


20

200

Sanding Pads

75x100mm

33H



Product Code 690.3433VJH

Qty./Box

Qty./Trnsp. Pack.

20

200

Sanding Pads

Concave/Convex

6H



Product Code Concave 690.6C420-KB / Convex 690.6I420-KB

Qty./Box

Qty./Trnsp. Pack.

20

200

Sanding Pads

Metal Part

Product Code 690.6T3019-KB

Qty./Box

Qty./Trnsp. Pack.

20

200

Sanding Pads

31,5mm

45mm



Product Code 31,5mm 690.KB.001 / 45mm 690.KB.002

Qty./Box

Qty./Trnsp. Pack.

20

200



Polishing Products & Accessories





10

Cut Rate

HCC800

kemalbasaran.com.tr



HCC800 Heavy Compound

HCC800 is developed especially for compounding on gel-coat surfaces. It removes the sanding scratches on the gel-coat very fast and creates a high gloss surface. HCC800 can remove sanding scratches from abrasives P800 and finer. It does not contain silicon.

Products Which Can Be Used Together

Compounding Sponge

Natural Wool pad

Twisted Wool Pad



Product Code 680.KB5.HCC800



HCC600

kernalbasaran.com.tr



HCC600 Heavy Compound

HCC600 can remove scratches of abrasives grit P800 and finer. It creates a glossy surface. It is a very coarse compound which works fast. In some cases, a finer compound can be used to have a glossier surface. No Silicon.

Products Which Can Be Used Together

 Compounding Sponge

 Natural Wool pad

 Twisted Wool Pad





Cut Rate

Heavy Cut Compound

SR800

kemalbasaran.com.tr



SR800 Scratch Remover

SR800 can remove scratches of abrasives grit P800 and finer. It creates a glossy surface. In many cases there will be no need for a finer compound. It is possible to continue with a polish. No Silicon.

Products Which Can Be Used Together

 Compounding Sponge

 Natural Wool pad

 Twisted Wool Pad



Product Code 680.KB.15F



Cut Rate

One Step Polishing Compound

OSP1000

kemalbasaran.com.tr



OSP1000 High Gloss Powerful Cut

OSP1000 can remove scratches of abrasives grit P1000 and finer. It is a one-step polish which removes scratches and creates a high gloss surface. Almost in all cases there will be no need for a finer compound. It is possible to continue with a very fine polish. No Silicon.

Products Which Can Be Used Together

 Compounding Sponge

 Natural Wool pad

 Twisted Wool Pad



Product Code 680.KB.5F



Cut Rate

High Gloss Fine Polishing Compound

HG4000

kemalbasaran.com.tr



HG4000 Anti-hologram FineCut Polish

HG4000 removes scratches from previous polishing steps and creates a high gloss surface. It can be used either after coarse compounding or as a single step anti-hologram polish. HG4000 is especially good for dark coloured surfaces to have a better, glossier polishing. No Silicon.

Products Which Can Be Used Together

 Compounding Sponge

 Natural Wool pad

 Polishing Sponge



Product Code 680.KB.3F




Cut Rate

Ultra Fine Compound

TG2500

kemalbasaran.com.tr



TG2500 Ultra Precision Antihologram

TG2500 is a very fine compound which removes compounding scratches and creates a high gloss surface. No Silicon.

Products Which Can Be Used Together

Compounding Sponge

Natural Wool pad

Polishing Sponge



Product Code 680.KB.1F



Cut Rate

Ultra Fine Finishing

UF5000

kemalbasaran.com.tr



UF5000 Perfect Finish

UF5000 is a polish which removes compounding scratches and creates a high gloss surface. UF5000 is especially good for dark colours to create a high gloss surface. No Silicon.

Products Which Can Be Used Together

 Compounding Sponge

 Natural Wool pad

 Polishing Sponge



Product Code 680.KB.2W

Polishing Accessories

Natural Wool pad

160mm



Product Code 679.1160

Qty./Box

3

Natural Wool pad

180mm



Product Code 679.1180

Qty./Box

3

Twisted Wool Pad

180mm



Product Code 679.1190

White Flaşlı Compounding Sponge

150mm



Product Code 679.3150

Orange Flaşlı Compounding Sponge

150mm



Product Code 679.3151









Distributor of
kb
Abrasives

Oskar Gerson

1904 Manning Ave Unit 500
Los Angeles, CA, 90025
(310) 954-6436
oskar@gprosolutions.us



Creating Success

Kemal Başaran Endüstri A.Ş.

Organize Sanayi Bölgesi 4. Cadde No:15
Altıeylül - Balıkesir / TÜRKİYE

+90 266 281 10 50

+90 266 281 10 99

info@kemalbasaran.com.tr

www.kemalbasaran.com.tr

